American Indian

Youth & Tobacco Data Summary 8TH GRADE

Year 2000

Sth Grade Students Surveyed n= 1,645 100.0 % 100.0 % 100.0 %		. 64. 2555	County %	State %
Female	8th Grade St	udents Surveyed n= 1,645	100.0 %	100.0 %
Male	Gender			
Past 30 days, youth who have smoked cigarettes at least once Female n = 762 23.1 %+/- 2.6 10.3 %+/- 1.5 Total n = 1576 1570 1610 n = 1576 1620 n = 1565 1620 n = 1566 n = 1578 n = 1570 n	Female			51.9 %
Past 30 days, youth who have smoked cigarettes at least once Female n= 762 23.1 %+/- 3.0 14.5 %+/- 1.7 Male n= 1581 20.2 %+/- 2.0 12.5 %+/- 1.1 Past 30 days, youth who have smoked cigars at least once Female n= 762 4.6 %+/- 1.5 3.0 %+/- 0.8 Male n= 816 8.3 %+/- 1.9 5.4 %+/- 1.1 Total n= 1578 4.3 %+/- 1.2 3.0 %+/- 0.7 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 758 3.3 %+/- 1.3 1.7 %+/- 0.6 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Male n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 758 6.1 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 805 3.7 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 3.7 %+/	Male		52.1 %	48.1 %
Past 30 days, youth who have smoked cigarettes at least once Female			_	
Past 30 days, youth who have smoked cigarettes at least once Female n = 762			_	_
## Total	Past 30 days	, youth who have smoked cigarettes	OI LIIOI	OI LIIOI
Male n= 819 17.1 %+/- 2.6 10.3 %+/- 1.5 Total n= 1581 20.2 %+/- 2.0 12.5 %+/- 1.1 Past 30 days, youth who have smoked cigars at least once Female n= 762 4.6 %+/- 1.5 3.0 %+/- 0.8 Male n= 816 8.3 %+/- 1.9 5.4 %+/- 1.1 Total n= 1578 6.4 %+/- 1.2 4.3 %+/- 0.7 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 758 3.3 %+/- 1.5 2.4 %+/- 0.6 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Total n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.8 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 809 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past				
Total n= 1581 20.2 %+/- 2.0 12.5 %+/- 1.1 Past 30 days, youth who have smoked cigars at least once Female n= 762 4.6 %+/- 1.5 3.0 %+/- 0.8 Male n= 816 8.3 %+/- 1.9 5.4 %+/- 1.1 Total n= 1578 6.4 %+/- 1.2 4.3 %+/- 0.7 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 758 3.3 %+/- 1.3 1.7 %+/- 0.6 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Total n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once 6.1 %+/- 1.7 3.4 %+/- 0.8 Female n= 756 6.1 %+/- 1.6 3.1 %+/- 0.9 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.8 Male n= 805	Female	n= 762	23.1 %+/- 3.0	14.5 %+/- 1.7
Past 30 days, youth who have smoked cigars at least once Female n= 762 4.6 %+/- 1.5 3.0 %+/- 0.8 Male n= 816 8.3 %+/- 1.9 5.4 %+/- 1.1 Total n= 1578 6.4 %+/- 1.2 4.3 %+/- 0.7 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 758 3.3 %+/- 1.3 1.7 %+/- 0.6 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Total n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any	Male	n= 819	17.1 %+/- 2.6	10.3 %+/- 1.5
Female Male n = 762 mest 16 4.6 %+/- 1.5 mest 1578 3.0 %+/- 0.8 mest 19.9 mest 19.9 mest 30 days, youth who have smoked tobacco in a pipe at least once Female I mest 30 days, youth who have smoked tobacco in a pipe at least once 3.3 %+/- 1.3 mest 1.7 %+/- 0.6 mest 1.5 mest	Total	n= 1581	20.2 %+/- 2.0	12.5 %+/- 1.1
Female Male n = 762 mest 16 4.6 %+/- 1.5 mest 1578 3.0 %+/- 0.8 mest 19.5 mest 19.5 mest 24.8 %+/- 1.9 3.0 %+/- 0.7 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 758 mest 2 mest 2 mest 30 days, youth who have smoked bidis (flavored cigarettes) at least once 3.3 %+/- 1.3 mest 1.7 %+/- 0.6 mest 1.5 mest 1.5 mest 2.4 %+/- 0.8 mest 2.7 %+/- 1.0 mest 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 756 mest 30 days, youth who have smoked bidis (flavored cigarettes) mest 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 741 mest 3.2 %+/- 1.3 1.4 %+/- 0.6 mest 30 days, youth who have used any tobacco product at least once Fost 30 days, youth who have used any tobacco product at least once Female n = 748 mest 30 days, youth who have used any tobacco product at least once Female n = 748 mest 30 days, youth who have used any tobacco product at least once Female n = 748 mest 30 days, youth who have used any tobacco product at least once Female n = 748 mest 30 days, youth who have used any tobacco product at least once Female n = 748 mest 30 days, youth who have used any tobacco product at least once	Past 30 davs	, youth who have smoked cigars at least once		
Total n= 1578 6.4 %+/- 1.2 4.3 %+/- 0.7 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 758 3.3 %+/- 1.3 1.7 %+/- 0.6 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Total n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	•	• •	4.6 %+/- 1.5	3.0 %+/- 0.8
Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 758 3.3 %+/- 1.5 1.7 %+/- 0.6 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Total n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	Male	n= 816	8.3 %+/- 1.9	5.4 %+/- 1.1
at least once Female n= 758 3.3 %+/- 1.3 1.7 %+/- 0.6 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Total n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	Total	n= 1578	6.4 %+/- 1.2	4.3 %+/- 0.7
at least once Female n= 758 3.3 %+/- 1.3 1.7 %+/- 0.6 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Total n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	Past 30 days	youth who have smoked tohacco in a nine		
Female n= 758 3.3 %+/- 1.3 1.7 %+/- 0.6 Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Total n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7				
Male n= 812 5.0 %+/- 1.5 2.4 %+/- 0.8 Total n= 1570 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7			3.3 %+/- 1.3	1.7 %+/- 0.6
Total 4.2 %+/- 1.0 2.1 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7				
at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7				
at least once Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	Paet 30 dave	youth who have smoked hidis (flavored cigarettes)		
Female n= 756 6.1 %+/- 1.7 3.4 %+/- 0.8 Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	-	•		
Male n= 809 5.6 %+/- 1.6 3.1 %+/- 0.9 Total n= 1565 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7			61%+/-17	34 %+/- 08
Total 5.7 %+/- 1.1 3.3 %+/- 0.6 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7				
(chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7				
(chewing tobacco, snuff or dip) at least once Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	Doot 20 days	wouth who have used smakeless tobases		
Female n= 741 3.2 %+/- 1.3 1.4 %+/- 0.6 Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	-			
Male n= 805 8.7 %+/- 1.9 2.6 %+/- 0.8 Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	` -	,	32%+/- 13	14%+/-06
Total n= 1546 6.1 %+/- 1.2 2.1 %+/- 0.5 Past 30 days, youth who have used any tobacco product at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7				
at least once Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7				
at least once Female n= 748 Male 25.3 %+/- 3.1 15.5 %+/- 1.7 24.8 %+/- 3.0 14.0 %+/- 1.7	Pact 30 days	youth who have used any tobacco product		
Female n= 748 25.3 %+/- 3.1 15.5 %+/- 1.7 Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7	-	• •		
Male n= 803 24.8 %+/- 3.0 14.0 %+/- 1.7			25.3 %+/- 3.1	15.5 %+/- 1.7
	Male	n= 803	24.8 %+/- 3.0	14.0 %+/- 1.7
	Total	n= 1551		14.9 %+/- 1.2

American Indian

Youth & Tobacco Data Summary 8TH GRADE

Year 2000

real 2000	County %+/- Margin of Error	State %+/- Margin of Error
About how many cigarettes have you smoked in your entire life? None 1/2 pack or less 1 - 4 packs 5 or more packs	n= 1565 45.8 %+/- 2.5 30.0 %+/- 2.3 10.4 %+/- 1.5 13.9 %+/- 1.7	64.9 %+/- 1.6 22.2 %+/- 1.4 6.3 %+/- 0.9 6.6 %+/- 0.8
Do you want to stop using tobacco right now? (among current tobacco users) Yes	n= 417 61.9 %+/- 4.7	59.3 %+/- 4.1
Have you ever participated in a program to help you quit using tobacco? (among current tobacco users) Yes	n= 510 12.5 %+/- 2.9	7.2 %+/- 2.0
During past 12 months, did you ever try to quit using tobacco? (cigarettes, cigars, or chew/dip)(among current tobacco users) Yes	n= 332 61.7 %+/- 5.2	61.2 %+/- 5.2
Do you think you will smoke a cigarette at any time during the next year? Definitely no	n= 1619 55.3 %+/- 2.4	60.8 %+/- 1.7
If one of your best friends offered you a cigarette, would you smoke it? Definitely no	n= 1608 58.0 %+/- 2.4	64.0 %+/- 1.6
Susceptibility Index (combination of the previous two questions, either of which receives any answer other than 'Definitely no') Susceptible	n= 1618 49.7 %+/- 2.4	43.5 %+/- 1.7
If one of your best friends offered you a cigarette, would you smoke it? (from among youth who did not smoke in last 30 days) Definitely no	n= 1272 70.7 %+/- 2.5	72.1 %+/- 1.6
Do you think the smoke from other people's cigarettes (second-hand smoke) is harmful to you? Definitely yes or Probably yes	n= 1623 86.3 %+/- 1.7	89.0 %+/- 1.0
Do you think it is safe to smoke for only a year or two, as long as you quit after that? Definitely no	n= 1609 64.0 %+/- 2.3	69.5 %+/- 1.6

American Indian

Youth & Tobacco Data Summary 8TH GRADE

Year 2000

Teal 2000	County %+/- Margin of Error	State %+/- Margin of Error
Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no	n= 1606 36.7 %+/- 2.4	45.5 %+/- 1.7
During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes	n= 1605 24.2 %+/- 2.1	16.2 %+/- 1.2
During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes? 3 or more days	n= 687 45.9 %+/- 3.7	29.7 %+/- 3.1
During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes? 3 or more days	n= 686 37.2 %+/- 3.6	24.3 %+/- 2.9
During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes	n= 1568 45.7 %+/- 2.5	48.6 %+/- 1.7
During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking? More than once a week	n= 1615 75.2 %+/- 2.1	77.1 %+/- 1.5
How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes? Very wrong	n= 1613 48.9 %+/- 2.4	57.6 %+/- 1.7
If you wanted to get some tobacco, how easy would it be for you to get some? Very hard or Sort of hard	n= 1619 41.0 %+/- 2.4	52.2 %+/- 1.7
Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes	n= 1611 71.4 %+/- 2.2	71.2 %+/- 1.5
Does anyone who lives with you now smoke cigarettes? Yes	n= 681 58.1 %+/- 3.7	38.7 %+/- 3.3